

Earthing bars

■ PES1350 / PES1630 Polygonal earthing bar

**Application**

Locate of earthing clamp to contact wire for temporary earthing of overhead lines.

Characteristics

The quick release coupling has easy locking for pivot according to DIN48087

Material

Polygonal tube out of glass fibre, foam filled top tube

Legend

- 1) PES1350
- 2) PES1630

Article-Nr.	mm ← a →							Kg 	
645.001.098	1630 - 5120							3	2

Accessories

Earthing wire guide 649.001.143

Article-Nr.								Kg 	
649.001.143								0.385	

Accessories

Signal flag 640.055.000

Article-Nr.	mm 							Kg 	
640.055.000	44								2

Accessories

Signalflag without fixing 649.002.000

Article-Nr.	mm 							Kg 	
649.002.000	44								3

Accessories

Bag 649.001.130

Article-Nr.								Kg 	
649.001.130								0.8	

Accessories



Bag 649.001.131

Article-Nr.									
649.001.131									0.5



Technical Specifications: **Polygonal earthing bar PES1350 / PES1630**

Article No.	645.001.098
Length a	1630 - 5120 mm
comment	2
Commercial specification	
Customs number	85359000
country of origin	CH
Texte	
comment	2
Logistic specification	
Kilo / piece	3 kg

