








Organes de descente

■ **AL 7** Manchon de contrôle

| Réf. article | Nombre-E |  |  |  |  |  | | | |  |
|--------------|-------------|---|---|---|---|---|--|--|--|---|
| 275.017.000 | 156 980 550 | H | Cu | M6x10 | 6 - 9 | 25 - 50 | | | | 25 |
| 275.018.000 | 156 980 560 | H | Cu | M6x16 | 6 - 11 | 25 - 95 | | | | 25 |
| 270.025.003 | 156 831 220 | H | InoxA2 | M6x16 | 6 - 11 | 25 - 95 | | | | 25 |

Caractéristiques techniques: **Manchon de contrôle AL 7**

| | | | |
|---|-------------------------|-------------------------|-------------|
| | 275.017.000 | 275.018.000 | 270.025.003 |
| Approuvé classe H / N (EN 62561-1) | H | | |
| Matériel | Cu | | InoxA2 |
| Vis | M6x10 | M6x16 | |
| Diamètre de fil | 6 - 9 mm | 6 - 11 mm | |
| Section nominale de conducteur | 25 - 50 mm ² | 25 - 95 mm ² | |
| Approprié pour raccordement | Rd 8 / Rd 10 | | |
| Connecteur bimétallique | Non | | |
| Surface | non-traité | | |
| couple de serrage | 6 N·m | | |
| Spécifications commerciales | | | |
| Numéro de tarif douanier | 85389000 | | |
| pays d'origine | CE* | | CH |
| Spécifications logistiques | | | |
| VPE Poids | 2.333 kg | | 2.23 kg |

